



BATHROOM PLUS

Non-Acid Disinfectant Bathroom Cleaner

DESCRIPTION

This product is a non-acid bathroom cleaner, which cleans, disinfects and deodorizes. This product cleans, disinfects, and deodorizes hard, non-porous surfaces by killing odor causing microorganisms. This product is a non-abrasive formula will not scratch surfaces. This product is formulated for use on hard, non-porous surfaces such as: glazed restroom ceramic, glazed restroom tile, glazed porcelain, chrome, stainless steel and plastic such as polyvinylchloride, polystyrene or polypropylene. For use on finished floors, walls, fixtures, toilets, urinals, sinks, shower rooms and locker rooms.

PRODUCT FEATURES / BENEFITS

- Effective cleaning and germicidal action on urinals, toilet bowls, sinks, tub and tile
- Fresh floral fragrance
- Virucidal; kills HIV-1* (associated with AIDS), HBV and HCV
- Effective in the presence of 5% serum contamination.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product is not for use on medical device surfaces.

FOR USE AS A GENERAL, HOSPITAL DISINFECTANT, VIRUCIDE*: Pre-clean visibly soiled areas. Apply this product to disinfect hard, non-porous, non-food contact surfaces with a sponge, brush, cloth, mechanical spray device, hand pump trigger spray device, coarse trigger spray device. For spray applications, spray 6-8 inches from surface. Do not breathe spray. Treated surfaces must remain visibly wet for 1 minute to kill SARS-CoV-2 and 10 minutes to kill all organisms listed on the label. Allow to air dry. Change solution when visibly dirty.

TO KILL SARS-COV-2: Pre-clean visibly soiled areas. Apply this product undiluted to hard, non-porous surfaces. Allow treated surfaces to remain visibly wet for 1 minute. Rinse with potable water after use on surfaces that come in contact with food.

***KILLS HIV, HBV AND HCV ON PRE-CLEANED HARD, NON-POROUS SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of hard, non-porous surfaces/objects with blood or body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1), Hepatitis B Virus (HBV) and Hepatitis C Virus (HCV).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HBV and HCV ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS. Personal Protection: Wear protective latex gloves, gowns, masks and eye protection.

Cleaning Procedure: Blood and other body fluids must be thoroughly cleaned from hard, non-porous surfaces and objects before application of this product. **Disposal of Infectious Materials:** Blood and other body fluids, cleaning materials and clothing must be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal. **Contact Time:** Allow hard, non-porous surface to remain visibly

wet for 2 minutes to kill HIV and for 10 minutes to kill all other viruses and bacteria listed on the label.

TO KILL FUNGI: Pre-clean visibly soiled surfaces. Apply product to hard, non-porous surfaces. Allow surface to remain visibly wet for 10 minutes. Wipe surfaces and let air dry.

TO CONTROL MOLD/MILDEW: Apply product to hard, non-porous surfaces which will effectively inhibit the growth of mold and mildew and their odors. Repeat treatment every seven days, or more often if new growth appears.

FOR USE AS A GENERAL CLEANER AND/OR DEODORIZER: Apply product to hard, non-porous surfaces. Wipe up excess liquid and allow to air dry. Rinse with potable water after use on surfaces that come in contact with food.

NON-ACID TOILET BOWL AND URINAL DISINFECTANT/CLEANING DIRECTIONS: Remove visible soil prior to disinfection. Empty water out of toilet bowl or urinal and add 1-2 oz. of this product to exposed surfaces, including under the rim with a toilet brush/mop, cloth, or sponge, hand pump trigger spray device, coarse trigger spray device. For spray applications, spray 6-8 inches from surface. Do not breathe spray. Brush or swab thoroughly, then allow solution to stand for 10 minutes and flush.

DEEP CLEANING/DISINFECTING WATERLESS URINALS: Pre-clean visibly soiled surfaces. Remove and properly dispose of cartridge according to manufacturer's directions. Deep clean or disinfect the entire urinal by applying the product directly onto surface. Brush surfaces and let solution stand for 10 minutes. Wipe surface to clean. Change cartridge as needed. The unit is ready for use.

FOR USE TO CLEAN AND DISINFECT SHOWER ROOMS, LOCKER ROOMS AND OTHER LARGE, OPEN AREAS WITH FLOOR DRAINS: Pre-clean visibly soiled areas. Apply product to hard, non-porous surfaces including floors, walls, and ceilings, making sure not to over spray. To disinfect, surfaces must remain visibly wet for 10 minutes. Scrub using a deck brush or other coarse material as necessary. Rinse surfaces thoroughly and let air dry. Change solution when visibly dirty.

SPECIFICATIONS

Specific Gravity (g/cc) 1.00 ± 0.01
 Density (lbs/gal) 8.3 ± 0.1
 Ready-to-use Yes

Bacteriacidal, Fungicidal, Mildewstat, Virucidal Yes
 Color Clear blue liquid
 Odor Floral fragrance
 Flash Point None

SAFETY INFORMATION

CAUTION. Causes moderate eye irritation. Harmful if swallowed or absorbed through the skin. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

FIRST AID

In case of emergency, call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. **IF IN EYES:** Hold eye open

and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. **IF ON SKIN:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. **IF SWALLOWED:** Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. Call a poison control center or doctor immediately for treatment advice.

Registered with the Environmental Protection Agency



DISINFECTANT



401 N. 10th Street • Philadelphia, PA 19123
1-800-NAT-CHEM • 215-922-1200 • FAX: 215-922-5517
www.nclonline.com • e-mail:info@nclonline.com